

Annual School Immunization Survey: Infinite Campus Instructions

Kentucky Immunization Program Department for Public Health

September 2017

Class Codes

| 00 | Kindergarten |
|----|--------------|
| | Sixth Grade |

Disclaimer

This document contains information consistent with the Infinite Campus program, including spelling used for immunizations.

14-15 ABC SCHOOL

1234 School Drive, Yourtown, KY 01234 Generated on 10/02/2017 08:00:00 AM Page 2 of 6

Immunization Compliance Summary Report

Grade(s): 00, 06

Effective Date 10/02/2016 Total Students: 84

Circled are numbers you enter on the survey in the Immunization Certificates and Exemptions section. To get the number of Current/Provisional certificates, please use the formula:

Current/Provisional/Expired = Total Students (-) Medical (-) Religious (-) No Shots

Compliance Totals

| | | | All vaccines | | | | | | | |
|--------|---------------|-----------------|--------------|--------|-------------|-------------|-----------|---------------|-------------|-------------|
| Cuada | Commisset | *Non-compliant | No Shots | Totals | | Exemptions | | Certificates | | |
| Grade | Compliant | · Non-compliant | NO SHOUS | Totals | Medical | Religious | Hx/Dis | Valid | Expired | None |
| 00 | 81 | 12 | 5 | 98 | 0 | 3 | 2 | 93 | 0 | 5 |
| | (82.7%) | (12.2%) | (5.1%) | | (0%) | (3.1%) | (2.0%) | (94.9%) | (0%) | (5.1%) |
| 06 | 78 (98.8%) | 5 (0%) | 1 (1.2%) | 84 | 1 (1.2%) | 1 (1.2%) | 5 (6%) | 80 (95.2%) | 3 (3.6%) | 1 (1.2%) |
| Totals | 158 | 17 | 6 | 182 | 1 | 4 | 7 | 173 | 3 | 6 |

^{*}Non-compliant for at least one vaccine with at least one shot on record

| | | Diphtheria-tetanus-pertussis, combined [DTaP, DTP] - Compliance Totals | | | | | | | | | | | |
|--|--------|--|---------------|----------------|-----------|-------------|-----------|--------|--|--|--|--|--|
| | Grade | Compliant | Non-compliant | No Requirement | | Exemptions | | Totals | | | | | |
| | | | | | Medical | Religious | Hx/Dis | | | | | | |
| | 00 | 89 (90.8%) | 6 (6.1%) | 0 (0%) | 0 (0%) | 3 (3.1%) | 0 (0%) | 98 | | | | | |
| | 06 | 82 (97.6%) | 1 (1.2%) | 0 (0%) | 0 (0%) | 1 (1.2%) | 0 (0%) | 84 | | | | | |
| | Totals | 171 | 7 | 0 | 0 | 4 | 0 | 182 | | | | | |

DTaP

Only select for grade: 00

| | Hepatitis B [Hep B] - Compliance Totals | | | | | | | | | | | |
|---|---|---------------|---------------|----------------|-----------|-------------|-----------|--------|--|--|--|--|
| ľ | Grade | Compliant | Non-compliant | No Poquiroment | | Exemptions | | | | | | |
| | Graue | Compliant | Non-compliant | No Requirement | Medical | Religious | Hx/Dis | Totals | | | | |
| | 00 | 90 (91.8%) | 5 (5.1%) | 0 (0%) | 0 (0%) | 3 (3.1%) | 0 (0%) | 98 | | | | |
| | 06 | 82 (97.6%) | 1 (1.2%) | 0 (0%) | 0 (0%) | 1 (1.2%) | 0 (0%) | 84 | | | | |
| | Totals | 172 | 6 | 0 | 0 | 4 | 0 | 182 | | | | |

Hep-B

Select for grades: 00, 06

Infinite Campus Instructions and Examples

Effective Date: 10/02/2017

| Total | Students: | 2/1 |
|-------|-----------|-----|
| IULAI | students. | 04 |

| | Measles,-Mumps Rubella {MMR] - Compliance Totals | | | | | | | | | | | |
|--------|--|---------------|----------------|-------------|-------------|-----------|--------|--|--|--|--|--|
| Grade | Compliant | Non-compliant | No Requirement | | Exemptions | | Totals | | | | | |
| Grade | | Non-compliant | No Requirement | Medical | Religious | Hx/Dis | Totals | | | | | |
| 00 | 88 (89.8%) | 7 (7.1%) | 0 (0%) | 0 (0%) | 3 (3.1%) | 0 (0%) | 98 | | | | | |
| 06 | 79 (94.0%) | 3 (3.6%) | 0 (0%) | 1 (1.2%) | 1 (1.2%) | 0 (%) | 84 | | | | | |
| Totals | 79 | 3 | 0 | 1 | 1 | 0 | 84 | | | | | |

MMR

Select for grades: 00, 06

| | | M | eningococcal - C | Compliance T | otals | | |
|--------|---------------|---------------|------------------|--------------|-------------|-----------|--------|
| Grade | Compliant | Non-compliant | No Requirement | | Exemptions | | Totals |
| Grade | Compliant | Non-compliant | No Requirement | Medical | Religious | Hx/Dis | Totals |
| 00 | 0 (0%) | 0 (0%) | 98 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 98 |
| 06 | 78 (92.9%) | 5 (6.0%) | 0 (0%) | 0 (0%) | 1 (1.2%) | 0 (0%) | 84 |
| Totals | 78 | 5 | 98 | 0 | 1 | 0 | 182 |

Meningococcal

Only select for grade: 06

| | Polio [IPV, OPV] - Compliance Totals | | | | | | | | | | | |
|--------|--------------------------------------|---------------|----------------|-----------|-------------|-----------|--------|--|--|--|--|--|
| Grade | Compliant | Non-compliant | No Requirement | | Exemptions | | Totals | | | | | |
| Grade | Grade Compilant Non-com | | No Requirement | Medical | Religious | Hx/Dis | Totals | | | | | |
| 00 | 89 (90.8%) | 6 (6.1%) | 0 (0%) | 0 (0%) | 3 (3.1%) | 0 (0%) | 98 | | | | | |
| 06 | 84 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 0 (%) | 0 (%) | 84 | | | | | |
| Totals | 173 | 6 | 0 | 0 | 3 | 0 | 182 | | | | | |

Polio

Only select for grade: 00

| | Tetanus, Diphtheria and Acellular Pertussis [Tdap] - Compliance Totals | | | | | | | | | | | |
|--------|--|---------------|----------------|-----------|-------------|-----------|--------|--|--|--|--|--|
| Grade | Compliant | Non-compliant | No Requirement | | Exemptions | | Totals | | | | | |
| Grade | Compliant | Non-compliant | No Requirement | Medical | Religious | Hx/Dis | Totals | | | | | |
| 00 | 0 (0%) | 0 (0%) | 98 (100%) | 0 (0%) | 0 (0%) | 0 (0%) | 98 | | | | | |
| 06 | 79 (94.0%) | 4 (4.8%) | 0 (0%) | 0 (0%) | 1 (1.2%) | 0 (0%) | 84 | | | | | |
| Totals | 79 | 4 | 98 | 0 | 1 | 0 | 182 | | | | | |

Tdap

Only select for grade: 06

| | | | Varicella - Com | pliance Tota | ls | | |
|--------|---------------|---------------|-----------------|--------------|-------------|-------------|--------|
| Grade | Compliant | Non-compliant | No Requirement | | Exemptions | | Totals |
| Grade | Compliant | Non-compliant | No Requirement | Medical | Religious | Hx/Dis | Totals |
| 00 | 85 (86.7%) | 8 (8.2%) | 0 (0%) | 0 (0%) | 3 (3.1%) | 2 (2.0%) | 98 |
| 06 | 73 (86.9%) | 4 (4.8%) | 0 (0%) | 1 (1.2%) | 1 (1.2%) | 5 (6.0%) | 84 |
| Totals | 158 | 12 | 0 | 1 | 4 | 7 | 182 |
| | | | | | | | |

Varicella

Select for grades: 00, 06

*When looking at the Varicella Compliance Totals, the Hx/Dis tells you how many children in the age group had chickenpox. Enter the number of Hx/Dis into the space provided in the GenTrack application that states "Enter the number of children that have had the chickenpox." If a child has had the disease and one or two doses of Varicella, mark them as having the disease.

The next section outlines the Dose Count Totals for each immunization. For each immunization, the cells in identify the numbers you add together to report for the appropriate age group. Any cell filled are not to be reported in your total for any specific immunization.

Dose Count Totals

| | Diphtheria-tetanus-pertussis, combined [DTaP, DTP] – Dose Count Totals | | | | | | | | | | | |
|--------|--|---|---|---|-----|----|---|---|-----|--|--|--|
| | Dose Counts | | | | | | | | | | | |
| Grade | Grade 0 1 2 3 4 5 6 7+ | | | | | | | | | | | |
| 00 | 6 | 2 | 0 | 1 | 43 | 46 | 0 | 0 | 98 | | | |
| 06 | 2 | 0 | 0 | 0 | 67 | 15 | 0 | 0 | 84 | | | |
| Totals | 8 | 2 | 0 | 1 | 110 | 61 | 0 | 0 | 182 | | | |

You only report 4 or more doses of DTaP for children in the **Kindergarten** age group.

Please use the formula: **4+ DTaP = SUM OF DOSE COUNTS (4, 5, 6, 7+)**

Example: (Kindergarten) 4+ DTaP= 43 (+) 46 (+) 0 (+) 0 = 89

Immunization Compliance Summary Report cont.

ABC Middle School -- 14-15 10/02/2017 8:00:00 AM

Grade(s): 06

Effective Date: 10/02/2017

Total Students: 84

| | Hepatitis B [HepB] – Dose Count Totals | | | | | | | | | | | |
|--------|--|---|---|-----|---|---|---|----|--------|--|--|--|
| | Dose Counts | | | | | | | | | | | |
| Grade | 0 | 1 | 2 | 3 | 4 | 5 | 6 | /+ | Totals | | | |
| 00 | 6 | 2 | 0 | 90 | 0 | 0 | 0 | 0 | 98 | | | |
| 06 | 1 | 0 | 1 | 82 | 0 | 0 | 0 | 0 | 84 | | | |
| Totals | 7 | 2 | 1 | 172 | 0 | 0 | 0 | 0 | 182 | | | |

You are to report 3 or more doses of Hep B for children in the Kindergarten and/or Sixth Grade age groups.

Please use the formula: 3+ Hep B = SUM OF DOSE COUNTS (3, 4, 5, 6, 7+)

Example: (Kindergarten) 3 + Hep B = 90 (+) 0 (+) 0 (+) 0 (+) 0 = 90

(Sixth Grade) 3+ Hep B= 82 (+) 0 (+) 0 (+) 0 (+) 0 = 82

| Measles-Mumps Rubella [MMR] – Dose Count Totals | | | | | | | | | |
|---|---|---|-----|---|---|---|---|----|--------|
| Dose Counts | | | | | | | | | Totals |
| Grade | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7+ | Totals |
| 00 | 4 | 6 | 88 | 0 | 0 | 0 | 0 | 0 | 98 |
| 06 | 3 | 2 | 78 | 1 | 0 | 0 | 0 | 0 | 84 |
| Totals | 7 | 8 | 166 | 1 | 0 | 0 | 0 | 0 | 182 |

You are to report 2 or more doses of MMR for children in the Kindergarten and/or Sixth Grade age groups.

Please use the formula: 2+ MMR = SUM OF DOSE COUNTS (2, 3, 4, 5, 6, 7+)

Example: (Kindergarten) 2+ MMR= 88 (+) 0 (+) 0 (+) 0 (+) 0 (+) 0 = 88

(Sixth Grade) 2+ MMR= 78 (+) 1 (+) 0 (+) 0 (+) 0 (+) 0 = 79

| Meningococcal – Dose Count Totals | | | | | | | | | |
|-----------------------------------|-----|----|---|---|---|---|---|----|--------|
| Dose Counts | | | | | | | | | Totals |
| Grade | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7+ | Totals |
| 00 | 98 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 98 |
| 06 | 6 | 78 | 0 | 0 | 0 | 0 | 0 | 0 | 84 |
| Totals | 104 | 78 | 0 | 0 | 0 | 0 | 0 | 0 | 182 |

You only report 1 or more doses of MCV for children in the Sixth Grade age group.

Please use the formula: 1 MCV = SUM OF DOSE COUNTS (1, 2, 3, 4, 5, 6, 7+)

Example: (Sixth Grade) 1 MCV= 78 (+) 0 (+) 0 (+) 0 (+) 0 (+) 0 (+) 0 = 78

Immunization Compliance Summary Report cont.

Grade(s): 06

Effective Date: 10/02/2017 Total Students: 84

| Polio [IPV, OPV] – Dose Count Totals | | | | | | | | | |
|--------------------------------------|---|---|---|-----|----|---|---|----|--------|
| Dose Counts | | | | | | | | | Totals |
| Grade | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7+ | Totals |
| 00 | 7 | 1 | 1 | 27 | 62 | 0 | 0 | 0 | 98 |
| 06 | 0 | 0 | 0 | 84 | 0 | 0 | 0 | 0 | 84 |
| Totals | 7 | 1 | 1 | 111 | 62 | 0 | 0 | 0 | 182 |

You only report 3 or more doses of Polio for children in the **Kindergarten** age group.

Please use the formula: 3+ Polio = SUM OF DOSE COUNTS (3, 4, 5, 6, 7+)

Example: (Kindergarten) 3+ Polio = 27 (+) 62 (+) 0 (+) 0 (+) 0 = 89

| Tetanus, Diphtheria and Acellular Pertussis [Tdap] – Dose Count Totals | | | | | | | | | |
|--|-----|----|---|---|---|---|---|----|--------|
| Dose Counts | | | | | | | | | Totals |
| Grade | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7+ | TOLAIS |
| 00 | 98 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 98 |
| 06 | 5 | 79 | 0 | 0 | 0 | 0 | 0 | 0 | 84 |
| Totals | 103 | 79 | 0 | 0 | 0 | 0 | 0 | 0 | 182 |

You only report 1 or more doses of Tdap for children in the **Sixth Grade** age group.

Please use the formula: 1 Tdap = SUM OF DOSE COUNTS (1, 2, 3, 4, 5, 6, 7+)

Example: (Sixth Grade) 1 Tdap= 79 (+) 0 (+) 0 (+) 0 (+) 0 (+) 0 (+) 0 = 79

| Varicella – Dose Count Totals | | | | | | | | | |
|-------------------------------|----|---|-----|---|---|---|---|--------|--------|
| Dose Counts | | | | | | | | Totals | |
| Grade | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7+ | TOLAIS |
| 00 | 10 | 3 | 85 | 0 | 0 | 0 | 0 | 0 | 98 |
| 06 | 7 | 4 | 73 | 0 | 0 | 0 | 0 | 0 | 84 |
| Totals | 17 | 7 | 158 | 0 | 0 | 0 | 0 | 0 | 182 |

You are to report 2 or more doses of Varicella for children in the **Kindergarten** and/or **Sixth Grade** age groups.

Please use the formula: 2+ Varicella = SUM OF DOSE COUNTS (2, 3, 4, 5, 6, 7+)

Example: (Kindergarten) 2+ Varicella= 85 (+) 0 (+) 0 (+) 0 (+) 0 (+) 0 = 85

(Sixth Grade) 2+ Varicella= 73 (+) 0 (+) 0 (+) 0 (+) 0 (+) 0 = 73